L Number	Hits	Search Text	DB	Time stamp
-	1	"20040010507"	USPAT; US-PGPUB	2004/05/18 16:37
-	1	"20030131215"	USPAT; US-PGPUB	2004/05/17 14:03
-	0	"Bellew M.in."	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 12:42
-	0	"Bellew.in."	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 12:42
-	105	Bellew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 12:42
-	42	Bellew.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 12:43
-	0	"WESTSIDE CORPORATION".as.	USPAT; US-PGPUB	2004/05/14 17:47
-	0	"Westside Corporation".as.	USPAT; US-PGPUB	2004/05/14 17:47
-	1	"Westside".as.	USPAT; US-PGPUB	2004/05/14 17:47
-	0	(Westside adj1 Corporation).as.	USPAT; US-PGPUB	2004/05/14 17:48
-	20219	707/$.ccls.	USPAT; US-PGPUB	2004/05/17 14:14
-	16652	"relational database$" or SQL or "structured query language$" or "Microsoft Access"	USPAT; US-PGPUB	2004/05/20 18:34
-	5964	707/$.ccls. and ("relational database$" or SQL or "structured query language$" or "Microsoft Access")	USPAT; US-PGPUB	2004/05/18 11:40
-	5078	"relational database$" and (SQL or "structured query language$")	USPAT; US-PGPUB	2004/05/20 18:35
-	2734	("relational database$" and (SQL or "structured query language$")) and 707/$.ccls.	USPAT; US-PGPUB	2004/05/17 14:32
-	123	((("relational database$" and (SQL or "structured query language$")) and 707/$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((target basis) near3 table)	USPAT; US-PGPUB	2004/05/17 16:30
-	17	((("relational database$" and (SQL or "structured query language$")) and 707/$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((target near3 table) and (basis near3 table))	USPAT; US-PGPUB	2004/05/17 14:47
-	4	((("relational database$" and (SQL or "structured query language$")) and 707/$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((target adj1 table) and (basis adj1 table))	USPAT; US-PGPUB	2004/05/17 14:42

-	9	((("relational database$" and (SQL or "structured query language$")) and 707/$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((target near3 table) and (basis near3 table)) and ((pars$3 break$3 formulat$3) near3 (input query))	USPAT; US-PGPUB	2004/05/17 14:51
-	434	(("relational database$" and (SQL or "structured query language$")) and 707/$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table	USPAT; US-PGPUB	2004/05/17 17:50
-	5	(US-5930795-$ or US-5717919-$ or US-5937401-$ or US-6609123-$ or US-6681230-$).did.	USPAT	2004/05/17 16:34
-	5	((("relational database$" and (SQL or "structured query language$")) and 707/$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((US-5930795-$ or US-5717919-$ or US-5937401-$ or US-6609123-$ or US-6681230-$).did.)	USPAT; US-PGPUB	2004/05/17 17:35
-	0	(((("relational database$" and (SQL or "structured query language$")) and 707/$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((US-5930795-$ or US-5717919-$ or US-5937401-$ or US-6609123-$ or US-6681230-$).did.)) and (designat$3 adj1 (field data))	USPAT; US-PGPUB	2004/05/17 17:36
-	3	(((("relational database$" and (SQL or "structured query language$")) and 707/$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((US-5930795-$ or US-5717919-$ or US-5937401-$ or US-6609123-$ or US-6681230-$).did.)) and (designat$3 same (field data))	USPAT; US-PGPUB	2004/05/17 17:39
-	5	(((("relational database$" and (SQL or "structured query language$")) and 707/$.ccls.) and (looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) and table) and ((US-5930795-$ or US-5717919-$ or US-5937401-$ or US-6609123-$ or US-6681230-$).did.)) and ((designat$3 assign$2 specified) same (field data))	USPAT; US-PGPUB	2004/05/17 17:40
-	4442	707/$.ccls. and ("relational database$")	USPAT; US-PGPUB	2004/05/17 17:49
-	42	(707/$.ccls. and ("relational database$")) and ((looked?up or (looked adj1 up) or (look adj1 up) or (look?up)) adj1 (field key record data)) and ("tables" or (second adj3 table))	USPAT; US-PGPUB	2004/05/17 17:52
-	19	("5222235" | "5257366" | "5280612" | "5317742" | "5367675" | "5396623" | "5408654" | "5430871" | "5432933" | "5440692" | "5446885" | "5619713" | "5630127" | "5671403" | "5692174" | "5692182" | "5706506" | "5742810" | "5875334").PN.	USPAT	2004/05/17 18:03
-	5336	707/$.ccls. and relational	USPAT; US-PGPUB	2004/05/18 11:40
-	11120	relational and database and table	USPAT; US-PGPUB	2004/05/18 11:42
-	4495	(relational and database and table) and 707/$.ccls.	USPAT; US-PGPUB	2004/05/18 11:42
-	759	((relational and database and table) and 707/$.ccls.) and ((input$3 select$3) near2 field)	USPAT; US-PGPUB	2004/05/18 11:44

C:\APPS\EAST\Workspaces\10038412.wsp

-	578	((relational and database and table) and 707/$.ccls.) and ((input$3 select$3) adj2 field)	USPAT; US-PGPUB	2004/05/18 11:44
-	281	(((relational and database and table) and 707/$.ccls.) and ((input$3 select$3) adj2 field)) and (look$up looked$up "look up" "looked up" (foreign adj1 key))	USPAT; US-PGPUB	2004/05/18 11:46
-	236	(((relational and database and table) and 707/$.ccls.) and ((input$3 select$3) adj2 field)) and ((look$up looked$up "look up" "looked up" (foreign adj1 key)) with (table field data record))	USPAT; US-PGPUB	2004/05/18 11:46
-	17	((((relational and database and table) and 707/$.ccls.) and ((input$3 select$3) adj2 field)) and ((look$up looked$up "look up" "looked up" (foreign adj1 key)) with (table field data record))) and (concatenat$3 near2 field)	USPAT; US-PGPUB	2004/05/18 11:48
-	1	"Data Modeling Record"	USPAT; US-PGPUB	2004/05/18 16:39
-	3	"Data Modeling" near2 record	USPAT; US-PGPUB	2004/05/18 16:41
-	168	"Data Modeling" near2 (record field data)	USPAT; US-PGPUB	2004/05/18 16:41
-	9	"Data Modeling" near2 (record field)	USPAT; US-PGPUB	2004/05/18 16:42
-	187	(Data adj1 Model$3) near2 (table)	USPAT; US-PGPUB	2004/05/18 16:42
-	103	((Data adj1 Model$3) near2 (table)) and ((multi$link$5 link$5 multi$part$1 multi) with (field table))	USPAT; US-PGPUB	2004/05/18 16:46
-	86	(((Data adj1 Model$3) near2 (table)) and ((multi$link$5 link$5 multi$part$1 multi) with (field table))) and (user near2 (input$1 select$3))	USPAT; US-PGPUB	2004/05/18 16:58
-	7	((((Data adj1 Model$3) near2 (table)) and ((multi$link$5 link$5 multi$part$1 multi) with (field table))) and (user near2 (input$1 select$3))) and (concatenat$3 near2 (table field record))	USPAT; US-PGPUB	2004/05/19 15:37
-	79	(((Data adj1 Model$3) near2 (table)) and ((multi$link$5 link$5 multi$part$1 multi) with (field table))) and ((user with (input$1 select$3 choos$3 choice)) same (field record data))	USPAT; US-PGPUB	2004/05/18 18:56
-	1	"20030120659"	USPAT; US-PGPUB	2004/05/18 18:57
-	15	(US-5603025-$ or US-5367675-$ or US-6374241-$ or US-6609123-$ or US-5842212-$ or US-6058391-$ or US-5717919-$ or US-6681230-$ or US-5617567-$ or US-5937401-$ or US-5930795-$ or US-5615367-$ or US-6345278-$ or US-6721751-$).did. or (US-20020013779-$).did.	USPAT; US-PGPUB	2004/05/19 14:40
-	349	(basis near2 table) and (target near2 table)	USPAT; US-PGPUB	2004/05/19 17:51
-	82	((basis near2 table) and (target near2 table)) and (relation$ adj1 database)	USPAT; US-PGPUB	2004/05/19 17:51
-	40	(((basis near2 table) and (target near2 table)) and (relation$ adj1 database)) and (SQL near2 statement)	USPAT; US-PGPUB	2004/05/19 16:52
-	15	(((basis near2 table) and (target near2 table)) and (relation$ adj1 database)) and (generat$3 same(SQL near2 statement))	USPAT; US-PGPUB	2004/05/19 16:53
-	59	(basis near2 table) same (target near2 table)	USPAT; US-PGPUB	2004/05/19 18:29
-	21	((basis near2 table) same (target near2 table)) and (relation$ adj1 database)	USPAT; US-PGPUB	2004/05/19 18:24
-	44	((basis near2 table) same (target near2 table)) and (relation$)	USPAT; US-PGPUB	2004/05/19 18:24

-	22321	((basis derived)near2 table)	USPAT; US-PGPUB	2004/05/19 19:00
-	11312	relation$2 adj1 database	USPAT; US-PGPUB	2004/05/19 18:31
-	8	(((basis derived)near2 table)) same (("foreign key" or look$2?up) near2 field)	USPAT; US-PGPUB	2004/05/19 19:01
-	52	(((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary)))	USPAT; US-PGPUB	2004/05/19 19:03
-	45	((((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary)))) and (relation$2 adj1 database)	USPAT; US-PGPUB	2004/05/19 19:04
-	2	((((((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary)))) and (relation$2 adj1 database)) and ((primary adj1 key) or (target adj1 table))) and ((data adj1 dictionary) same (identif$7 near2 table))	USPAT; US-PGPUB	2004/05/19 19:09
-	2	((((((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary)))) and (relation$2 adj1 database)) and ((primary adj1 key) or (target adj1 table))) and ((data adj1 dictionary) same (identif$7 near2 table))	USPAT; US-PGPUB	2004/05/19 19:09
-	1	((((((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary)))) and (relation$2 adj1 database)) and ((primary adj1 key) or (target adj1 table))) and ((data adj1 dictionary) same (identif$7 near2 field))	USPAT; US-PGPUB	2004/05/19 19:09
-	2	((((((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary)))) and (relation$2 adj1 database)) and ((primary adj1 key) or (target adj1 table))) and ((data adj1 dictionary) same (identif$7 same field))	USPAT; US-PGPUB	2004/05/19 19:10
-	44	((((((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary)))) and (relation$2 adj1 database)) and ((primary adj1 key) or (target adj1 table))	USPAT; US-PGPUB	2004/05/19 19:10
-	10	((((((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary)))) and (relation$2 adj1 database)) and ((primary adj1 key) or (target adj1 table))) and (data adj1 dictionary)	USPAT; US-PGPUB	2004/05/19 19:11
-	3	((((((basis derived)near2 table)) same (((foreign adj1 (key field)) or (standard adj1 (key field)) same (data adj1 dictionary)))) and (relation$2 adj1 database)) and ((primary adj1 key) or (target adj1 table))) and ((data adj1 dictionary) same identif$7)	USPAT; US-PGPUB	2004/05/19 19:11

C:\APPS\EAST\Workspaces\10038412.wsp

-	19	(US-6681230-$ or US-6609123-$ or US-5937401-$ or US-5930795-$ or US-5717919-$ or US-5617567-$ or US-6721751-$ or US-6345278-$ or US-6058391-$ or US-5842212-$ or US-5367675-$ or US-6374241-$ or US-5615367-$ or US-5603025-$ or US-4918593-$).did. or (US-20040010507-$ or US-20030131215-$ or US-20020013779-$ or US-20040015783-$).did.	USPAT; US-PGPUB	2004/05/20 15:23
-	19	(US-6681230-$ or US-6609123-$ or US-5937401-$ or US-5930795-$ or US-5717919-$ or US-5617567-$ or US-6721751-$ or US-6345278-$ or US-6058391-$ or US-5842212-$ or US-5367675-$ or US-6374241-$ or US-5615367-$ or US-5603025-$ or US-4918593-$).did. or (US-20040010507-$ or US-20030131215-$ or US-20020013779-$ or US-20040015783-$).did.	USPAT; US-PGPUB	2004/05/20 15:23
-	1	20020013779.pn. and (data same (divid$3 or break$3 or separat$5 or split$4 or component))	USPAT; US-PGPUB	2004/05/20 16:56
-	1	20020013779.pn. and (data with schem$4 with plural$4)	USPAT; US-PGPUB	2004/05/20 17:47
-	1	20020013779.pn. and (dereferenc$3 referenc$3)	USPAT; US-PGPUB	2004/05/20 18:02
-	1	20020013779.pn. and (generat$3 with (SQL near2 statement))	USPAT; US-PGPUB	2004/05/20 18:03
-	1	20020013779.pn. and (generat$3 with (SQL and statement))	USPAT; US-PGPUB	2004/05/20 18:18
-	1	20020013779.pn. and (enumerat$3)	USPAT; US-PGPUB	2004/05/20 18:18
-	1	(US-20040010507-$).did.	US-PGPUB	2004/05/20 18:20
-	1	((US-20040010507-$).did.) and enumerat$3	USPAT; US-PGPUB	2004/05/20 18:34
-	11214	"relational database$"	USPAT; US-PGPUB	2004/05/20 18:35
-	5065	"relational database$" and SQL	USPAT; US-PGPUB	2004/05/20 18:36
-	0	("relational database$" and SQL) and ((SELECT near3 FROM) same (clause statement quer$3 command))	USPAT; US-PGPUB	2004/05/20 18:37
-	0	("relational database$" and SQL) and (SELECT near3 FROM)	USPAT; US-PGPUB	2004/05/20 18:37
-	4132	("relational database$" and SQL) and (SELECT)	USPAT; US-PGPUB	2004/05/20 19:21
-	49	("relational database$" and SQL) and (SELECT and JOIN and ON)	USPAT; US-PGPUB	2004/05/20 18:43
-	43	("relational database$" and SQL) and (SELECT and JOIN and ON) and script	USPAT; US-PGPUB	2004/05/20 18:43
-	44	("relational database$" and SQL) and (SELECT and JOIN and ON) and (script$ report$)	USPAT; US-PGPUB	2004/05/20 18:57
-	49	("relational database$" and SQL) and (SELECT and JOIN and ON)	USPAT; US-PGPUB	2004/05/20 19:07
-	120	(("relational database$" and SQL) and (INNER adj1 JOIN)) and table	USPAT; US-PGPUB	2004/05/20 19:08
-	21	(("relational database$" and SQL) and (INNER adj1 JOIN)) and (generat$3 with (report script))	USPAT; US-PGPUB	2004/05/20 19:21
-	21	(("relational database$" and SQL) and (INNER adj1 JOIN)) and (generat$3 with (report script))	USPAT; US-PGPUB	2004/05/20 19:10
-	5	("4805099" | "5392390" | "5418950" | "5426781" | "5463724").PN.	USPAT	2004/05/21 15:47
-	125	((standard near1 query near1 language) or SQL).ti.	USPAT; US-PGPUB	2004/05/21 15:58
-	89	((standard near1 query near1 language) or SQL).ti.	USPAT	2004/05/21 16:56

C:\APPS\EAST\Workspaces\10038412.wsp

-	1	6424968.pn.	USPAT; US-PGPUB	2004/05/21 16:46
-	65	((standard near1 query near1 language) or SQL) same ((select or from) and join and ((on near1 clause) or ((outer or inner) near1 join)))	USPAT	2004/05/21 17:11
-	0	((standard near1 query near1 language) or SQL) same ((select or from) and join and on)	USPAT	2004/05/21 17:12
-	120	("relational database$" and SQL) and (INNER adj1 JOIN)	USPAT; US-PGPUB	2004/05/21 17:15
-	116	(("relational database$" and SQL) and (INNER adj1 JOIN)) and "SELECT"	USPAT; US-PGPUB	2004/05/21 17:19
-	0	(("relational,database$" and SQL) and (INNER adj1 JOIN)) and ("SELECT" and "ON")	USPAT; US-PGPUB	2004/05/21 17:19
-	116	(("relational database$" and SQL) and (INNER adj1 JOIN)) and ("SELECT" and "JOIN")	USPAT; US-PGPUB	2004/05/21 17:33
-	66	SQL near3 advantag$5	USPAT; US-PGPUB	2004/05/21 17:33
-	24	(SQL near3 advantag$5) and "JOIN"	USPAT; US-PGPUB	2004/05/21 17:34